

# AGIP BLASIA S



AGIP BLASIA S is an oil developed for the lubrication of gears and bearings operating at high temperatures. It is formulated from a synthetic base (polyglycol) additive-treated to impart appropriate antioxidant, antirust and antiwear properties.

## CHARACTERISTICS (TYPICAL FIGURES)

AGIP BLASIA S		150	220	320
Viscosity at 40°C	mm <sup>2</sup> /s	152	230	320
Viscosity at 100°C	mm <sup>2</sup> /s	24,6	34,0	46,3
Viscosity Index	-	195	195	205
Flash Point COC	°C	240	240	242
Pour Point	°C	-36	-33	-33
Mass density at 15°C	kg/l	1,00	1,03	1,03

## PROPERTIES AND PERFORMANCE

- AGIP BLASIA S is formulated from a base with inherently good lubricating capacity. The very high Viscosity Index minimizes change in viscosity over a wide range of operating temperatures.
- It has exceptional oxidation and thermal stability. The additives have been selected to avoid the formation of sludge even if a small part of the fluid oxidizes owing to extreme working conditions.
- AGIP BLASIA S has very good antiwear and EP properties; the grade ISO VG 220 passes 12th stage in FZG test.
- It provides very good protection against rust and corrosion.

## APPLICATIONS

AGIP BLASIA S is best used for the lubrication of bearings of calenders operating at high temperatures (glassforming machines, steelstrip mills, furnaces and ceramic and paper-making machinery). Suitable for continuous bulk temperatures up to 120 °C with peaks in the hottest points up to 200 °C. The exceptional properties of this synthetic oil result in reduced maintenance costs, for example where it is used for the lubrication of gears subjected to medium loads or those requiring a low coefficient of friction for troublefree operation, such as worm gears.

## NOTES

AGIP BLASIA S is not compatible with mineral oils and same types of esthers.

AGIP BLASIA S does not attack rubber but it should not be used in contact with paintwork unless this has an epoxy base.

## SPECIFICATIONS

AGIP BLASIA S oils meet the requirements of the following specifications:

- ISO-L-CKD
- DIN 51502 PGLP
- ANSI/AGMA D9005-D94 (AGMA NR. 4S, 5S, 6S)

AGIP BLASIA S 320 is approved by SCHINDLER.