

**Agip City 4T
SAE 10W-40**

**API A3
ACEA SJ**

Agip City 4T is a semi-synthetic engine oil for all Motorbikes and Scooter with water- and air-cooled 4-stroke engines.

Characteristics (typical figures):

SAE		10W-40
Viscosity at 100°C	mm ² /s	14
Viscosity at 40°C	mm ² /s	95
Viscosity at -20°C	mPa s	3300
Viscosity index		154
Flashpoint o. C.	°C	225
Pourpoint	°C	-27
Density at 15°C	kg/m ³	885

Properties and Performance:

- ⇒ The synthetic component helps to build-up a safe lubrication film that sticks at the metal surfaces, also when the engine had been shut down for some time. Therefore an easy start and reduction of the cold start wear is ensured, also under severe conditions.
- ⇒ The oil consumption is reduced due the low evaporation synthetic component with high thermal stability.
- ⇒ Additives minimise the lacquer and sludge formation as well as the deposits in the engine area. Simultaneously the sticking of the piston rings is prevented, the piston stays clean and possible deposits are kept in suspension.

Applications:

Agip City 4T can be used as all-year oil in all latitudes. There are no application limits with regard to the performance category and the ambient temperatures.

Please observe the manufacturer's specifications when selecting products!

Specifications

Agip City 4T, meets or exceeds the requirements of the following specifications.

specificatie
ACEA A3
API SJ
JASO MA

AAVG, juni '04
GEPRINT: woensdag 27 september 2006