

## Agip Racing SAE 10W-60

### API SL Package Performance

**Agip Racing 10W-60** is a fully synthetic engine oil of the newest generation, especially for high-performance gasoline engines in sports use respectively other highest engine loads.

#### Characteristics (typical figures):

Agip Racing	Unit	SAE 10W-60	Test Methode
Kinematic Viscosity at 40 C	cSt	160	ASTM D 445
Kinematic Viscosity at 100 C	cSt	24	ASTM D 445
Viscosity Index		177	ASTM D2270
Density at 15 C	kg/l	0.89	ASTM D 4052
Flashpoint	C	225	ASTM D 92
Pourpoint	C	-33	ASTM D 97

#### Properties and Performance:

⇒ The synthetic base oils form a stable high-performance lubrication film that also guarantees a safe lubrication when the engine had been shut down for some time. This film ensures an easy start and reduces the cold start wear also under very difficult condition.

⇒ The thermal stable base oil has an extremely low evaporation tendency and therefore causes the lowest oil conditioned oil consumption.

⇒ The excellently tested shear stability is a guarantee for the viscosity stability (stay-in-grade) of the engine oil also after longer application under extreme conditions.

⇒ The well-balanced special formulation ensures highest performance regarding the detergent/dispersing properties, the corrosion protection, foam prevention, oxidation stability and wear protection properties.

## Applications:

**Agip Racing 10W-60** is especially recommended by Alfa Romeo for the application in the Alfa 166 Version 2.0 T.Spark, Alfa 156 GTA and Alfa 156 JTS.

Please observe the manufacturer's specifications when selecting products!

## Specifications

**Agip Racing** meets or exceeds the requirements of the following specifications.

specificatie  
API SL Package Performance

AAVG,                      juni '04  
GEPRINT:                donderdag 31 maart 2005