

**Agip Tec 4T
SAE 15W-50**

**ACEA A3-98
JASO MA**

AGIP TEC 4T is a top performance semisynthetic multigrade lubricant of latest technology for 4 stroke bike engines. It satisfies the demand of both on road and off road operation, and is suitable for the most severe and varied operating conditions, such as high temperature motorway driving or low temperature stop and go.

Characteristics (typical figures):

SAE GRADE		15W-50
Viscosity at 100°C	mm ² /s	17.6
Viscosity at 40°C	mm ² /s	128
Viscosity Index		150
Pour Point	°C	-33
Flash Point COC	°C	230
Mass density at 15/15°C	kg/L	0,870

Properties and Performance:

- **AGIP TEC 4T** is sufficiently fluid when cold and maintains high viscosity when hot. The same grade of lubricant can therefore be used in all seasons.
- Its superior detergent/dispersant properties effectively minimize the formation of lacquer and varnish, as well as other deposits. **AGIP TEC 4T** thus prevents ring sticking, keeps pistons clean and maintains deposits in suspension.
- Its antiwear properties ensure long life for all moving parts, substantially reducing the need for engine servicing and overhauls.

Please observe the manufacturer's specifications when selecting products!

Specifications

Agip TEC 4T, meets or exceeds the requirements of the following specifications.

specificatie
ACEA A3-98
API SJ (DONUT)
JASO MA

AAVG, juni '04
GEPRINT: maandag 13 juli 2009