



MILANO
SAE 5W40

API SM/CF
ACEA A3, B3, B4
MB 229.3

WELLRUN MILANO is an extreme modern, synthetic, fuel economy, universal motor oil based on special selected synthetic base oils with a high viscosity index and a well balanced choice of advanced additives to obtain the following properties:

- a lower fuel consumption
- a high and very stable viscosity index
- a high resistance against shearing
- a fast cold start
- a very strong resistance against oxidation
- a safe lubrication film at very high temperatures
- a very good detergency and dispersion
- a very strong protection against wear, corrosion and foaming

CHARACTERISTICS, typical

WELLRUN MILANO,		5W-40
Viscosity at 100°C	mm ² /s	14.4
Viscosity at 40°C	mm ² /s`	87.4
Viscosity at -30°C	mPa	6110
Viscosity Index		172
Pour Point	°C	-30
Flash Point C.O.C.	°C	223
Mass. Density at 15°C	kg/l	0.855

APPLICATIONS

WELLRUN MILANO is a universal, fuel economy, special composed synthetic motor oil recommended for use in petrol and diesel engines, with or without turbo-charging, in passenger cars and delivery vans for which the most modern specifications are required.

Please observe the manufacturer's specifications when selecting products!



SPECIFICATIONS

WELLRUN MILANO, complies with the requirements of the following specifications:

- API SM/CF
- ACEA A3, B3, B4
- VW 502.00/505.00
- MB-Approval 229.3
- Porsche/BMW LongLife -98
- Opel GM-LL-B-25
- Renault RN700/RN710

CvO, Nov-'09
GEPRINT: donderdag 12 november 2009