



Product Agip Dexron III

Date: 17-mei-06

Supersedes SDS dated: 12-2002

1. Identification of the substance/preparation and of the company

Identification of the substance or preparation: Agip Dexron III Type of product and use: ATF Fluid

Company identification: Agip Benelux B.V.

Eemhavenweg 50, 3089 KH Rotterdam - Tel.+31-10-2941555

2. Composition/information on ingredients.

Paraffinic base stock, severely refined (42%wt min) - CAS 101316-72-2 Components

Paraffinic base stock, severely refined (50%wt min) - CAS 64741-89-5

3. Hazards identification.

Important hazards This product is of low oral and dermal toxicity and under normal conditions of use should present no

significant health hazards. However, in common with most mineral oils, prolonged and repeated skin

contact may cause dermatitis. Handling precautions must be strictly observed.

General informations Any substance, in case of accidents involving pressurized circuits and the like, may be accidentally

injected under the skin, even without external damage.

In such a case, the victim should be brought to a hospital as soon as possible, to get specialized

4. First-aid measures.

Skin contact: Take off contaminated clothing and shoes. Was thoroughly with soap and water.

Eye contact: Flush with large amounts of water; if irritation persists, seek medical attention. Ingestion:

Do not induce vomiting to avoid aspiration into the lungs; seek medical attention.

Aspiration of liquid into the If there is the possibility that the product has been aspired into the lungs (i.e. in case of spontaneous

lungs: vomiting), transport the victim to a hospital.

In case of overexposure to a high concentration of vapours, remove the victim from exposure; keep at rest; if necessary, seek medical attention.

5. Fire-fighting measures.

Extinguishing media:

Inhalation:

Suitable: Carbon dioxide, foam, dry chemicals; water spray (fog).

Not to be used: Do not use water jets. They could cause splattering, and spread the fire

Other informations: Spilled product, which is not burning, should be covered with sand or foam. Use water sprays to cool

the surfaces exposed to the flames.

Special protective equipment for firefighters:

Useful precautions:

Wear a suitable breathing apparatus if smoke is present.

Useful precautions: Avoid accidental sprays on hot surfaces or electrical contacts. In case of losses from pressurized circuits, the sprays may form mists. Take into account that in this

case the lower explosion limit for mists is about 45 g/m3 air.





Product Agip Dexron III

Date: 17-mei-06

Supersedes SDS dated: 12-2002

6. Accidental release measures.

General measures: Shut off source of spill, if possible

Methods for cleaning up:

-On soil: Contain spilled liquid with sand or other suitable absorbents. Recover free liquid. Clean contaminated

area. Dispose of according to local regulations.

-On water: Confine the spillage. Remove from surface by skimming or suitable absorbents. Notify local authorities

according to regulations.

7. Handling and storage.

Storage temperature: ambient to 65°C max. Storage:

Handling: Store the product in cool, well ventilated surroundings.

Keep away from sources of ignition

8. Exposure controls/personal protection.

Exposure limits: TLV-TWA (A.C.G.I.H. 2002): 5 mg/m3 (mineral oil mists) TLV-STEL (A.C.G.I.H. 2002): 10 mg/m3 (mineral oil mists)

Personal protection: -Open spaces:

none

-Confined spaces: Aspirators in case of oil mist; protective shields, in case of oil splashes.

Hand/eyes/skin protection: Felt-lined waterproof gloves, overalls Hygiene measures:

Do not drink, eat or smoke with dirty hands. Wash hands before going to the toilet. Do not clean hands with dirty or oil-soaked rags.

Change clothes if they are dirty or soaked, and in any case at the end of the working shift.

Wash hands with water and soap do not use solvents or other irritant products which have a defatting

effect on the skin.

9. Physical and chemical properties (typical values).

Liquid, bright & cear ASTM D 41 76/1 Appearance: Odour: Characteristic Colour Not determined **ASTM D 1500** Density a 15°C: **ASTM D 1298** 0.885 kg/l °C Boiling point/range: > 200 **ASTM D 1160** Vapour pressure: mm/s² Viscosity at 100°C: ASTM D 445 7.8 Solubility in water: Insoluble in water Not applicable **ASTM D 1287** pH: °C ASTM D 97 Pour point: -40 ASTM D 92 Flash point: 195 Auto-ignition temperature: > 300 DIN 51 794 Explosion limits:

- Lower: N.D. - Upper: N.D.

Partition coefficient (Po/w): <3 % wt IP 346/92





Product Agip Dexron III

Date: 17-mei-06

Supersedes SDS dated: 12-2002

10. Stability and reactivity.

Thermal decomposition

Cox, HC

products:

Stability: Stable product

Hazardous reactions: None

Materials to avoid: Strong oxidants

11. Toxicological information.

Oral toxicity (rat):

Dermal toxicity (rabbit):

LD50 greater than 5000 mg/kg

LD50 greater than 5000 mg/kg

LC50 greater than 5000 mg/l/4h

Other informations:

*Not irritating to eyes and skin. *Minor irritation may occur after prolonged or repeated contact,

especially if normal hygienic rules are not respected. *None of the components of this product are listed as carcinogen by NTP, IARC, OSHA, EU or others. *No components of this product are included in the

EU list of dangerous substances (Annex I of Directive 67/548/EEC and its ATP's).

12. Ecological information.

General informations: This product is expected to be resistant to biodegradation and to persist in the environment.

No specific environmental data are available for this product.

Handle according to general working hygiene practices to avoid pollution and release into the

environment.

13. Disposal considerations.

Disposal of product: Do not dispose of the product, either new or used, by discharging into sewers, tunnels, lakes or water

courses. Deliver to a qualified official collector.

European Waste

13 02 05 (Ref. 2001/118/CE)

Catalogue Code:

Disposal of packaging:

Dispose of in a safe manner, in accordance with local regulations.

14. Transport information.

RID/ADR: Does not belong to any class of danger. ICAO/IATA: Does not belong to any class of danger. IMO-IMDG code: Does not belong to any class of danger.





Product

Agip Dexron III

Date: 17-mei-06

Supersedes SDS dated: 12-2002

15. Regulatory information.

Applicable laws and regulations:

National laws on classification and labelling of dangerous substances/preparations

regulations: (Adoption of Directive 67/548/CE and subsequent Adaptions to technical Progress - ATP,

and Directive 1999/45/CE).

Relevant national laws on health and safety on the workplace.

National adaoption of Directives 89/391/CEE, 89/654/CEE, 89/655/CEE, 89/656/CEE, 90/269/CEE,

90/270/CEE, 90/394/CEE, 90/679/CEE, 93/88/CEE, 95/63/CE, 97/42/CE, 98/24/CE, 99/38/CE.

National adoption of Directive 75/439/CEE concerning disposal of used oils.

Relevant national laws on recycling and re-use of waste material.

Relevant national laws on prevention of water pollution.

16. Other information.

Nature of revision:

This information relates only to the specific product and may not be valid if the product is used in combination with any other material or in any process.

The informations in this sheet are according to our best knowledge at the date of printing.

This Safety Data Sheet has been checked and printed on December 2002

End of Document