



Product

Agip TECSINT SL

Date: 17-mei-06 Supersedes SDS dated : 18-12-99

1. Identification of the substance/preparation and of the company

Identification of the substance or preparation: Type of product and use: Company identification: Agip Tecsint SL Engine Lubricant Agip Benelux B.V. Eemhavenweg 50, 3089 KH Rotterdam - Tel.+31-10-2941555

2. Composition/information on ingredients.

Components

Synthetic base stock Additives

3. Hazards identification.

Important hazardsThis product is of low oral and dermal toxicity and under normal conditions of use should present no
significant health hazards. However, in common with most mineral oils, prolonged and repeated skin
contact may cause dermatitis. Handling precautions must be strictly observed.General informationsAny substance, in case of accidents involving pressurized circuits and the like, may be accidentally
injected under the skin, even without external damage. In such a case, the victim should be brought to
an hospital as soon as possible, to get specialized medical treatment.

4. First-aid measures.

Take off contaminated clothing and shoes. Wash thoroughly with soap and water.
Flush with large amounts of water; if irritation persists, seek medical attention.
Do not induce vomiting to avoid aspiration into the lungs; seek medical attention.
If there is the possibility that the product has been aspirated into the lungs (i.e. in case of spontaneous
vomiting), transport the victim to a hospital.
In case of exposure to a high concentration of vapours, remove the victim from exposure; keep at rest; if necessary, seek medical attention.

5. Fire-fighting measures.

Extinguishing media:	
Suitable:	Carbon dioxide, dry chemicals, foam, water spray (fog)
Not to be used:	Do not use water jets.
Other informations:	Spilled product which is not burning should be covered with sand or foam.
	Use water sprays to cool the surfaces exposed to the flames.
Special protective	Wear a suitable breathing apparatus if smoke is present.
equipment for firefighters:	
Useful precautions:	Avoid accidental sprays on hot surfaces or electrical contacts. In case of losses from pressuriz

Avoid accidental sprays on hot surfaces or electrical contacts. In case of losses from pressurized circuits, the sprays may form mists. Take into account that in this case the lower explosion limit for mists is about 45 m/m3air.





Product

Agip TECSINT SL

Date: 17-mei-06 Supersedes SDS dated : 18-12-99

6. Accidental release measures.

 General measures: Methods for cleaning up:
 Shut off source of spill, if possible.

 -On soil:
 Contain spilled liquid with sand, earth or other suitable absorbents. Recover free liquid. Clean contaminated area. Dispose of according to local regulations.

 -On water:
 Confine the spillage. Remove from surface by skimming or suitable absorbents. Notify local authorities according to regulations.

7. Handling and storage.

Storage:	Storage temperature: ambient to 65°C max.
Handling:	Store the product in cool, well ventilated surrounding.
	Keep away from sources of ignition.

8. Exposure controls/personal protection.

Exposure limits: Personal protection: -Open spaces: -Confined spaces:	No TLV-TWA values are reported (A.C.G.I.H. 1999). No special measures. Aspirators in case of oil mist; protective shields, in case of oil splashes.
Hand/eyes/skin protection: Hygiene measures:	Felt-lined waterproof gloves, overalls. Do not drink, eat or smoke with dirty hands. Wash hands before going to the toilet. Do not clean hands with dirty or oil-soaked rags. Change clothes if they are soaked with oil, and in any case at the end of the working shift. Wash hands with water and soap, do not use solvents or other irritant products which have a defatting effect on the skin.

9. Physical and chemical properties (typical values).

Appearance: Odour:	Liquid, bright & clear Characteristic		ASTM D 4176/1)
Colour	Not determined		ASTM D 1500
Density a 15°C: Boiling point/range: Vapour pressure: Viscosity at 100°C: Solubility in water: pH:	0.870 > 200 1.10-3 14.5 Insoluble in water Not applicable	kg/l °C hPa mm²/s	ASTM D 1298 ASTM D 1120 ASTM D 445
Pour point: Flash point : Auto-ignition temperature: Explosion limits: - Lower: - Upper: Partition coefficient (Po/w):	-33 215 > 300 ND ND Not determined	°C °C °C	ASTM D 97 ASTM D 92 DIN 51 794





Product

Agip TECSINT SL

Date: 17-mei-06 Supersedes SDS dated : 18-12-99

10. Stability and reactivity.

Thermal decomposition	COx
products:	
Stability:	Stable product
Hazardous reactions:	None
Materials to avoid:	Strong oxidants

11. Toxicological information.

Oral toxicity (rat): Dermal toxicity (rabbit): Inhalation toxicity (rat): Other informations:	LD50> 5000 mg/kg LD50> 5000 mg/kg LC50> 5 mg/1/4h Not irritating to eyes and skin. Minor irritation may occur after prolonged or repeated contact, especially, if normal hygienic rules are not respected. None of the components of this product are listed as carcinogen by NTP, IARC, OSHA, EU or others. No components of this product are included in the EU list of dangerous substances (Annex 1 of Directive 67/548/EEC and its ATP's)
--	--

12. Ecological information.

General informations: This product is expected to be resistant to biodegradation and to persist in the environment. No specific environmental data are available for this product. Handle according to general working hygiene practices to avoid pollution and release into the environment.

13. Disposal considerations.

Disposal of product:	Do not dispose of the product, either new or used, by discharging into sewers, tunnels, lakes or water courses. Deliver to a gualified official collector.
European Waste Catalogue Code:	European Waste Catalogue: 13 02 02
Disposal of packaging:	Dispose of in a safe manner, in accordance with local regulations.

14. Transport information.

RID/ADR:	None
ICAO/IATA:	None
IMO-IMDG code:	None

15. Regulatory information.

Applicable laws and regulations:	National laws on classification and labelling of dangerous substances/preparations (Adoption of Directive 67/548/CE and subsequent .
	Adaptations to Technical Progress – ATP)
	National adoption of Directives 89/391/CEE, 89/654/CEE, 89/655/CEE, 89/656/CEE, 90/269/CEE, 90/27
	90/394/CEE, 90/679/CEE.
	National adoption of Directive 75/439/CEE concerning disposal of used oils.
	Relevant national laws on recycling and re-use of waste materials.
	Relevant national laws on prevention of water pollution.
	Relevant national laws on health and safety on the workplace.





Product

Agip TECSINT SL

Date: 17-mei-06 Supersedes SDS dated : 18-12-99

16. Other information.

Nature of revision:

This information relates only to the specific product and may not be valid if the product is used in combination with any other material or in any process. The informations in this sheet are according to our best knowledge at the date of printing.

This Safety Data Sheet has been checked and printed on 18-12-1999

End of Document